


Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1 - 7 (canceled).

8. (currently amended) A dosage form comprising a compound of formula 1:



1

or a pharmaceutically acceptable salt thereof, in an amount of from 1 to ~~20~~ 10 mg.

9-12 (canceled).

13. (previously presented) The dosage form of claim 8, wherein the amount is 5 mg.


14. (canceled).

15. (original) The dosage form of claim 8, wherein the dosage form is an oral dosage form.

16. (original) The dosage form of claim 8, wherein the dosage form is a tablet or capsule.

17- 31 (canceled).

32. (currently amended) A method of treating cancer in a mammal, wherein the cancer is selected from lung cancer, pancreatic cancer, skin cancer, breast cancer, cancer of the thyroid gland, cancer of the parathyroid gland, renal cell carcinoma, and combinations thereof; the method comprising administering to the mammal a compound of formula 1:



1

or a pharmaceutically acceptable salt thereof, in an amount of from 1 to ~~20~~ 10 mg per dose.

33-36. (canceled).

37. (previously presented) The method of claim 32, wherein the amount is 5 mg.

38. (canceled).

39. (original) The method of claim 32, wherein the compound is administered orally.

40. (original) The method of claim 32, wherein the compound is administered at a dosage frequency of at least once per day.

41. (currently amended) The method of claim ~~36~~ 37, wherein the compound is administered at a dosage frequency of ~~at least~~ twice per day.

42-48 (canceled).

49. (previously presented) The method of claim 32 wherein the cancer is cancer of the thyroid gland or cancer of the parathyroid gland, and wherein the compound is administered in an amount of from 1 mg to 10 mg per dose at a dosage frequency of twice per day.

50. (previously presented) The method of claim 32, wherein the cancer is breast cancer, and wherein the compound is administered in an amount of from 1 mg to 10 mg per dose at a dosage frequency of twice per day and wherein the method further comprises co-administering docetaxel.

51. (previously presented) The method of claim 32, wherein the cancer is pancreatic cancer, and wherein the compound is administered in an amount of from 1 mg to 10 mg per dose at a dosage frequency of twice per day and wherein the method further comprises co-administering gemcitabine.

52. (previously presented) The method of claim 32, wherein the cancer is renal cell carcinoma, and wherein the compound is administered in an amount of from 1 mg to 10 mg per dose at a dosage frequency of twice per day.

53. (previously presented) The method of claim 32, wherein said lung cancer is non small cell lung cancer, and wherein the compound is administered in an amount of from 1 mg to 10 mg per dose at a dosage frequency of twice per day.